



## BOX BAFL

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



# BOX BAFL

## Acoustical Ceiling Fixture

Simple and beautiful, create height or a patterned design with optimal acoustic performance. Easily connect the baffles together for a quick installation process. Also available with incorporated downlighting.

**Application** Ceiling Suspended

	L	W	H	WEIGHT
<b>BOX BAFL 2x2- LIT*</b>	26.97"	26.97"	10"	10 lbs.
<b>BOX BAFL 2x2</b>	26.97"	26.97"	10"	10 lbs.
<b>BOX BAFL- LIT*</b>	50.91"	50.91"	10"	20 lbs.
<b>BOX BAFL</b>	50.91"	50.91"	10"	20 lbs.

Weight does not include light. Single light = 8.8 lbs.

### Hardware

Default:	Aircraft Cable/Threaded Rod, Flat Bracket, Griplock
Unistrut*:	Cone Nut Assembly, Threaded Rod/Aircraft Cable, Flat Bracket, Coupler Nut, Griplock
Drop Ceiling*:	Aircraft Cable/Threaded Rod, Flat Bracket, Griplock, Couple Nut, T-grid Caddy Clip

\* Available Upon Request

**Material Content** 9 mm 100% PET (55% recycled content)

**Fire Rating** Class A per ASTM E-84, based on 9mm white

### Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
<b>NRC</b>	.74	1.02	1.38	1.87	<b>1.25</b>
<b>Sabins per m<sup>2</sup></b>	11.31	15.60	21.20	28.71	

Test was conducted while product was in its actual installation setting

All NRC testings assumes one face/one object and does not account for the product thickness

### Environment

Low VOC;  
Post-Consumer Recycled Content  
100% Recyclable

### Installation

Box BafI can be easily assembled and installed using provided hardware. The ceiling fastener is provided by an installer based off ceiling type.

### Country of Origin

USA

### Warranty

2 Years


**fräsch!**

08.2025

## BOX BAFL


### LIGHT SPECIFICATIONS

#### BOX BAFL 2x2- LIT



ITEM NUMBER	WIDTH	LENGTH	VOLTAGE	LUMEN	WATTAGE	TEMPERATURE	DIMMING CAPABILITY	WIRING CABLE LENGTH	BODY COLOR
LGT-FLATPANEL-24X24-30WT	23.6"	23.6"	AC120-277V	105 LM/W	30/40/50	3500/4000/5000K	0-10V	*SEE NOTE	WHITE

#### BOX BAFL- LIT





ITEM NUMBER	WIDTH	LENGTH	VOLTAGE	LUMEN	WATTAGE	TEMPERATURE	DIMMING CAPABILITY	WIRING CABLE LENGTH	BODY COLOR
LGT-FLATPANEL--24X48-30WT	24"	48"	AC120-277V	3000	50	4500K	0-10V	*SEE NOTE	WHITE

\*Flat panel lights do not include a cord and must be wired by an electrician.



## BOX BAFL

### AVAILABLE DIMENSIONS

#### BOX BAFL 2x2- LIT






#### BOX BAFL LIT




## BOX BAFL

### AVAILABLE DIMENSIONS

#### BOX BAFL 2x2




10"





26.97"


26.97"



#### BOX BAFL



10"



50.91"

50.91"