



STELLA

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



STELLA

Acoustic Ceiling Application

Create an inlet ceiling aesthetic with a honeycomb-like form for optimal sound absorption. STELLA's versatile installation options, from Unistrut capabilities to magnetic hardware with the ability to hang from a T-Grid, STELLA provides ultimate flexibility for any space.

Application	Ceiling Suspended			
	L	W	H	WEIGHT
STELLA - SINGLE	33"	29"	7"	3 lbs.
STELLA - SET OF 3	58"	58"	7"	9 lbs.

Hardware

- Default: Aircraft Cable/Threaded Rod, Coupler Nut, Griplock, Hanger Bolt
- Unistrut*: Unistrut, Cone Nut Assembly, Threaded Rod/Aircraft Cable, Coupler Nut, Griplock
- Drop Ceiling*: T-Bar Clip/Magnet, Coupler Nut, Hanger Bolt, Spike Bracket

* Available Upon Request

Material Content 9 mm 100% PET (55% recycled content)

Fire Rating Class A per ASTM E-84, based on 9mm white

Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
NRC	0.74	0.06	1.54	1.77	1.30
Sabins per m ²	11.24	16.21	23.43	27.08	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

Environment

Low VOC;
Post-Consumer Recycled Content
100% Recyclable

Installation

STELLA comes with both threaded rod and aircraft cable connections for easy connectivity and quick installation. Threaded Rod, Aircraft Cables, Coupling Nut and Cable Grippers are included. Ceiling fastener is provided by the installer.

Country of Origin


USA

Warranty

2 Years

STELLA

AVAILABLE DIMENSIONS



STELLA

ADDITIONAL DIMENSION

