



## VIBE COFR

Fräsch was founded on the belief that creating healthy and beautiful office environments leads to a happier and highly motivated workforce.



## VIBE COFR

### Dropped Grid Acoustical Ceiling Solution

Transform your T-Grid quickly and easily with COFR, a lightweight and cost-effective alternative to wood that will help you achieve the architectural look of a coffered ceiling, with the recess installed facing up or down. Choose to install a single tone for a striking ceiling appearance, or opt for a woodprint to achieve a more traditional look. COFR is constructed from 9mm or 12mm PET felt and ships flat. Easy to cut, it can be incorporated into any space as a custom solution, creating both visual interest and interesting shadows.

**Application** T-Grid Ceiling

**Material Content** 9/12 mm 100% PET (55% recycled content)

**Fire Rating** Class A per ASTM E-84, based on 9mm white

### Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
NRC	0.57	0.90	1.36	1.61	1.0
Sabins per m <sup>2</sup>	4.45	7.05	10.62	12.61	

Test was conducted while product was in its actual installation setting.

All NRC testings assumes one face/one object and does not account for the product thickness.

### Environment

Low VOC;  
Post-Consumer Recycled Content  
100% Recyclable

### Installation

COFR is installed into pre-existing T-Grid ceiling extrusions. See the COFR installation manual for details.

### Country of Origin

USA

### Warranty

2 Years

## VIBE COFR

### AVAILABLE DIMENSIONS

